

CALCDATE

Updated: 31 Mar 2016

Use **CALCDATE** to return a date value for a specified Year, Month, and Day.

Syntax

```
Public Shared Function CALCDATE(  
    ByVal Year As Integer,  
    ByVal Month As Integer,  
    ByVal Day As Integer,)
```

Arguments

Year

the integer value for the year. *Year* is an expression that returns a **Integer**, or of a type that can be implicitly converted to **Integer**.

Month

the integer value for the month. *Month* is an expression that returns a **Integer**, or of a type that can be implicitly converted to **Integer**.

Day

the integer value for the day. *Day* is an expression that returns a **Integer**, or of a type that can be implicitly converted to **Integer**.

Return Type

Date

Remarks

See Also

- DATEFLOAT - Convert MDY to float
- DATEINT - Convert MDY to int
- DAYS360 - Calculate number of days using 30/360 day count conventions
- DAYSINMONTH - Number of days in the month of the specified date
- DAYSINYEAR - Number of number of days in the year of the specified date
- DAYSNL - Number of days excluding Leap Years
- EASTER - Date of Western Easter for a given year
- EDATE - Exact date n months from specified date
- EOMONTH - Last day of month
- FIRSTWEEKDAY - First specified day of the week in any calendar month
- ISREGULARPAY - Determine if a date is a regular payment date for a loan
- LASTWEEKDAY - Last specified day of the week in any calendar month
- NBD - Convert a series of dates to flat csv string in YYYYMMDD format

- NUMMONTHS -Number of months between two dates
- YEARFRAC - Fraction of a year between two dates