DAYS360

Updated: 31 Mar 2016

Use DAYS360 to calculate the number of days from a start date (inclusive) to an end date (exclusive) using any of several 30/360 day count conventions.

Syntax

```
Public Shared Function DAYS360(
ByVal StartDate As Date,
ByVal EndDate As Date,
ByVal Method As Integer,)
```

Arguments

StartDate

the start date for the calculation. *StartDate* is an expression that returns a **Date**, or of a type that can be implicitly converted to **Date**.

EndDate

the end date for the calculation. *EndDate* is an expression that returns a **Date**, or of a type that can be implicitly converted to **Date**.

Method

A numeric identifier indicating which 30/360 day count convention to use. Use 0 for the US method (also known as 30/360 US), 1 for the Special German method (also known as 30E/360, 30/360 ICMA, and Eurobond basis), or 2 for the German method (also known as 30E360 ISDA). *Method* is an expression that returns a **Integer**, or of a type that can be implicitly converted to **Integer**.

Return Type

Integer

Remarks

- If method < 0 or method > 2 an error message is generated.
- If method is NULL, then method = 0
- StartDate cannot be NULL
- EndDate cannot be NULL

See Also

- CALCDATE Convert MDY to date
- DATEFLOAT Convert MDY to float
- DATEINT Convert MDY to int
- DAYSINMONTH Number of days in the month of the specified date

- DAYSINYEAR Number of number of days in the year of the specified date
- DAYSNL Number of days excluding Leap Years
- EASTER Date of Western Easter for a given year
- EDATE Exact date n months from specified date
- EOMONTH Last day of month
- FIRSTWEEKDAY First specified day of the week in any calendar month
- ISREGULARPAY Determine if a date is a regular payment date for a loan
- LASTWEEKDAY Last specified day of the week in any calendar month
- NBD Convert a series of dates to flat csv string in YYYYMMDD format
- NUMMONTHS -Number of months between two dates
- YEARFRAC Fraction of a year between two dates